
## CERTIFICATE

**Certified Passive House Component** Component-ID 0739cw03 valid until 31st December 2025 Passive House Institute Dr. Wolfgang Feist 64283 Darmstadt Germany





Category:	Curtain Wall
Manufacturer:	SCHÜCO International KG,
	Bielefeld,
	Germany
Product name:	Schüco FWS 50.SI


This certificate was awarded based on the following criteria for the cool, temperate climate zone

Comfort	$U_{CW} = 0.80$	$\leq$	0.80 W/(m <sup>2</sup> K)
	U <sub>CW,installed</sub>	$\leq$	0.85 W/(m <sup>2</sup> K)
	with $U_g$	=	0.70 W/(m <sup>2</sup> K)

Hygiene  $f_{Rsi=0.25}$   $\geq$  0.70







## Description

Aluminum curtain wall, insulated by PE-foam (0.038 W/(mK)) and PET-foam (0.035 W/(mK)). Reduction of the radiation losses by low emmissivity tape. Pane thickness: 46 mm (6/16/4/16/4), rebate depth: 13 mm, spacer: SWISSPACER Ultimate. The glazing was calculated with a 3 mm secondary seal. As it is often the case that this is thicker, today the calculation is carried out with a 6 mm secondary seal. This leads to a higher glazing edge thermal bridge, which can also be estimated by way of the spacer certificates: www.passivhauskomponenten.org / glazing edge bonds. The higher rates of heat loss can be compensated for by using e. g. improved glazing.

## Explanation

The element U-values were calculated for the test element size of  $1.20 \text{ m} \times 2.50 \text{ m}$  with  $U_g = 0.70 \text{ W}/(\text{m}^2 \text{ K})$ . If a higher quality glazing is used, the element U-values will improve as follows:

Glazing	$U_g =$	0.70	0.69	0.58	0.53	W/(m <sup>2</sup> K)
		$\downarrow$	$\downarrow$	$\downarrow$	$\downarrow$	
Element	$U_{CW}$	0.80	0.79	0.69	0.64	W/(m <sup>2</sup> K)

Transparent building components are sorted into efficiency classes depending on the heat losses through the opaque part. The frame U-Values, frame widths, thermal bridges at the glazing edge and the glazing edge lengths are included in these heat losses. A more detailed report of the calculations performed in the context of certification is available from the manufacturer.

The Passive House Institute has defined international component criteria for seven climate zones. In principle, components that have been certified for climate zones with higher thermal requirements may also be used in climates with less stringent requirements. In a particular climate zone it may make sense to use a component of a higher thermal quality which has been certified for a climate zone with more stringent requirements.


Further information relating to certification

can be found on www.passivehouse.com and passipedia.org.

Frame value	es		Frame width <i>b<sub>f</sub></i> mm	<i>U</i> -value frame <i>U</i> f <sup>1</sup> W/(m <sup>2</sup> K)	$arPsi$ -glazing edge $arPsi_g$ W/(m K)	Temp. Factor f <sub>Rsi=0.25</sub> [-]
Mullion fixed	(0M1)	-	50	0.88	0.034	0.79
Transom fixed	(0T1)	+	50	0.88	0.035	0.79
Transom 1 casement	(1T1)	4	156	1.20	0.031	0.79
Bottom fixed	(FB1)	1	50	0.88	0.035	0.79
Top fixed	(FH1)	T.	50	0.88	0.035	0.79
Lateral	(FJ1)	-	50	0.88	0.034	0.79
	Spa	icer: SW	ISSPACER Ultimate	e Seco	ndary seal: Polysulfic	de

Thermal glass carrier bridge<sup>2</sup>  $\chi_{GT} = 0.014 \text{ W/K}$ 

## Validated installations



<sup>1</sup>Includes $\Delta U$  = 0.17 W/(m<sup>2</sup> K). Determined through 3D FEM simulation <sup>2</sup>Determined through 3D FEM simulation. Glass carrier type: Stainless steel

www.passivehouse.com