
## **CERTIFICATE**

**Certified Passive House Component** 

Component-ID 1659rs04 valid until 31st December 2025

Passive House Institute Dr. Wolfgang Feist 64283 Darmstadt Germany



Category: Sun Protection (Roller shutter)

Manufacturer: Deceuninck N.V.,

Borox (Toledo),


Spain

Product name: Protex

This certificate was awarded based on the following criteria for the warm, temperate climate zone

Efficiency  $\Delta_U = 0.12 \leq 0.16 \text{ W/(m}^2\text{K)}$ 

Hygiene  $f_{Rsi=0.25}$   $\geq$  0.65





## Deceuninck N.V. Avda. de la Industria 1007, 45222 Borox (Toledo), Spain → + 34 925 527 241 | ☑ info@deceuninck.es | → http://www.deceuninck.es | → http

## **Description**

Rollershutter box with XPS-insulation (0.035 W/(mK)) inside the casing, different casing and shutter heights available. Casing anchored with steel brackets, 3D heat flow simulation have been conducted to determine an equivalent thermal conductivity for the mounting elements. PHI standard frame representing a wooden or vinyl frame. Conductivity: 0.113 W/(mK), depth: 100 mm Pane thickness: 44 mm (4/16/4/16/4), rebate depth: 23mm Spacer: PHI class phB with polysulfide as secondary seal.

The 176 mm shutter casing can accomodate a maximum shutter height of 190 cm.

The 211 mm shutter casing can accomodate a maximum shutter height of 300 cm.


The 250 mm shutter casing can accomodate a maximum shutter height of 450 cm.


The Passive House Institute has defined international component criteria for seven climate zones. In principle, components which have been certified for climate zones with higher requirements may also be used in climates with less stringent requirements. In a particular climate zone it may make sense to use a component of a higher thermal quality which has been certified for a climate zone with more stringent requirements.


Further information relating to certification can be found on www.passivehouse.com and passipedia.org.

Frame values			Frame width <i>b<sub>f</sub></i> mm	$U$ -value frame $U_f$ W/(m $^2$ K)	$\Psi$ -panel edge $\Psi_g$ W/(m K)	Temp. Factor f <sub>Rsi=0.25</sub> [-]
Тор	(to)	Ť	125	0.92	0.038	0.67
Side	(s)	Ŋ-	125	0.92	0.038	0.67
Bottom	(bo)	Ţ	125	0.92	0.038	0.67
		Spacer: PHI phB-Spacer		Secondary seal: Polysulfid		

## Validated installations







4/4 Protex