
CERTIFICATE

Certified Passive House Component

Component-ID 1072sk02 valid until 31st December 2025

Passive House Institute Dr. Wolfgang Feist 64283 Darmstadt Germany



Category: Skylight

Manufacturer: Hans Börner GmbH & Co. KG,

Nauheim, Germany


Product name: Nauheimer Dunkelklappe

This certificate was awarded based on the following criteria for the cold climate zone

Comfort U_{SK} = 0.25 \leq 0.80 W/(m² K)


 $U_{SK,installed} \leq 0.80 \text{ W/(m}^2 \text{ K)}$ with $U_q = 0.19 \text{ W/(m}^2 \text{ K)}$

Hygiene $f_{Rsi=0.25}$ \geq 0.75





Hans Börner GmbH & Co. KG Rudolf -Diesel Strasse 8, 64569 Nauheim, Germany ☎ 06152 / 9764 - 27 | ☑ info@acryl.de | ७ http://www.acryl.de |



Description

Glassfibre reinforced plastic frame, insulated by 150 mm Polyurethanfoam (0,028 W/(mK)). Note: The thermal quality of the system depends significantly on the installation situation. Therefor, the bottom-element should be covered with insulation as good as possible.

Explanation

The window U-values were calculated for the test window size of $1.50 \,\mathrm{m} \times 1.50 \,\mathrm{m}$ with $U_g = 0.19 \,\mathrm{W/(m^2 \,K)}$. If a higher quality glazing is used, the window U-values will improve as follows:

Glazing
$$U_g = 0.19$$
 W/(m² K)
 \downarrow Window $U_W = 0.25$ W/(m² K)

Transparent building components are classified into efficiency classes depending on the heat losses through the opaque part. The frame U-Values, frame widths, thermal bridges at the glazing edge, and the glazing edge lengths are included in these heat losses. A more detailed report of the calculations performed in the context of certification is available from the manufacturer.

The Passive House Institute has defined international component criteria for seven climate zones. In principle, components which have been certified for climate zones with higher requirements may also be used in climates with less stringent requirements. In a particular climate zone it may make sense to use a component of a higher thermal quality which has been certified for a climate zone with more stringent requirements.

Further information relating to certification can be found on www.passivehouse.com and passipedia.org.

Frame values			Frame width <i>b_f</i> mm	U -value frame U_f W/(m ² K)	Ψ -glazing edge Ψ_g W/(m K)	Temp. Factor f _{Rsi=0.25} [-]
Bottom	(OB1)		127	0.37	0.000	0.76
Тор	(OH1)	F	127	0.37	0.000	0.76
Lateral	(OJ1)	11-	127	0.37	0.000	0.76
			Spacer: -	Secondary seal: -		

Validated installations

