

## Certificate

## **Certified Passive House Component**

for cool, temperate climate, valid until 31.12.2026

Category: Balcony connection

Slab thickness 160 - 250mm

Manufacturer: Schöck Bauteile GmbH

76534 Baden-Baden GERMANY

Product name: Schöck Isokorb® XT Typ K

The following criteria were used in awarding this certificate:

## **Efficiency Criterion**

In two typical applications\*, the construction is

 $\Delta U_{WB} \leq 0.010 \text{ W/(m}^2\text{K)}$ 

## **Comfort Criterion**

The inner surface must be warm enough to prevent mould as well as uncomfortable down-drought and radiation losses.

θ<sub>i,min</sub> ≥ 17°C

Following heat transmission coefficients Ψ [W/(mK)] were determined:

Product	Slab thickness				
	160	180	200	220	250
XT Typ K-M1V1	-	0.083	-	-	-
XT Typ K-M1V2	-	-	-	-	0.103

\* The criterion was validated on both, a row house and a apartment dwelling.

(according to criteria "balcony connection" v2.1.1)

The certificate includes types with minor statical performance.

Thermal bridge coefficients can be approximated by linear interpolation.

www.passivehouse.com

Passive House Institute 64283 Darmstadt GERMANY



