

# CERTIFICATE

Certified Passive House Component


ID: 0795wa03 valid until 31. December 2021

Passive House Institute

Dr. Wolfgang Feist

64342 Darmstadt

GERMANY



Category	<b>Construction system   Solid construction</b>
Manufacturer	<b>JUB d.o.o Dol pri Ljubljani SLOVENIA</b>
Product name	<b>JUBIZOL PASSIVE</b>

**This certificate for the cool, temperate climate zone was awarded based on the following criteria**

## Hygiene criterion

The minimum temperature factor of the interior surfaces is

$$f_{R_{si}=0,25m^2K/W} \geq 0.70$$

## Comfort criterion

The U-value of the installed windows is

$$U_{W,i} \leq 0.85 \text{ W}/(m^2K)$$

## Efficiency criteria

Heat transfer coefficient of building envelope

$$U \cdot f_{PHI} \leq 0.15 \text{ W}/(m^2K)$$

Temperaturfactor of opaque junctions

$$f_{R_{si}=0,25m^2K/W} \geq 0.86$$

Thermal bridge free design for key connection details

$$\Psi \leq 0.01 \text{ W}/(m^2K)$$

An airtightness concept for all components and connection details was provided.



cool, temperate climate

[www.passivehouse.com](http://www.passivehouse.com)

**JUB d.o.o**

Dol pri Ljubljani 28 1262 Dol pri Ljubljani SLOVENIA

info@jub.si | www.jub.eu

## Determined values

<b>Thermal heat transfer coefficient</b>	<b>Dimension [m]</b>	<b>U-Wert [W/(m<sup>2</sup>K)]</b>
EW01 - External Wall	0.46	0.150
RO01 - Roof	0.36	0.114
FS01 - Floor Slab	0.59	0.142
FS02 - Floor Slab	0.65	0.102
BW01 - Basement Wall	0.30	0.448
BW01 - Basement Wall	0.39	0.237
BC01 - Basement Ceiling	0.45	0.164
<b>Thermal bridge coefficient opaque envelop</b>	<b>fRsi [-]</b>	<b>Ψ [W/(mK)]</b>
FRRP01 - Flat Roof Roof Parapet	0.93	-0.052