


# CERTIFICATE

Certified Passive House Component

Component-ID 1890as00 valid until 31st December 2025

Passive House Institute  
Dr. Wolfgang Feist  
64283 Darmstadt  
Germany



Category: Airtightness Systems | **Surface Sealing**

Manufacturer: **PARTEL**  
Claregalway Corporate Park  
Claregalway, CO. Galway  
Ireland H91R85P

Product-System: **PARTEL EXOPERM MONO SA 250**

Description: System for surface sealing

System Components: "EXOPERM MONO SA 250"  
"ACRAPRIME SPRAY"

permeability

**0.01 m<sup>3</sup>/(hm<sup>2</sup>) (±0.004)**

instructions for use

coherent ✓

recommended  
detailing

comprehensive ✓

## This certificate was awarded based on the following criteria:

Tested under standard boundary conditions the system meets the listed requirements

Class	permeability per unit area @ 50 Pa [m <sup>3</sup> /(hm <sup>2</sup> )]
phA	≤ 0.10
phB	≤ 0.18
phC	≤ 0.25

The manufacturer supplies coherent and comprehensive instructions for use and detailing recommendations for all system components.

Adhering to these recommendations the system can greatly simplify the execution of an airtight building fabric. The complete Certification Report may also be downloaded at [www.passiv.de](http://www.passiv.de).



phA

**CERTIFIED  
COMPONENT**

Passive House Institute